



Aragon WOODS

HYBRIDSTONE FLOORING



100% Waterproof Planks

Authentic Australian Species

Antimicrobial

Pet & Kid Proof

High Impact Resistance

Soft Underfoot

DIY or Professionally Installed

100% Recyclable

Calcite Core

Phthalate & Formaldehyde Free


Diamond UV Coating

Superior Locking System

1.5mm Thick Acoustic Underlay




www.fda.net.au

A horizontal strip of wood with a warm, reddish-brown hue and a prominent, wavy grain pattern. The surface shows natural wood texture with some darker spots and knots.

Southern Blue Gum

A horizontal strip of wood with a dark, charcoal grey to black color. The grain is visible but muted by the smoke treatment, giving it a weathered, rustic appearance.

Smoked Blue Gum

A horizontal strip of wood with a rich, golden-brown color and a very distinct, wavy grain pattern. The wood has a smooth, polished appearance with some darker streaks.

Australian Spotted Gum



Tasmanian Oak



Aged Karri



Mountain Spotted Gum

SPECIFICATIONS

Size	1219mm x 229mm
Thickness	6.50mm
Wear Layer	0.50mm
Quantity per CTN	2.23m ²
Warranty	Lifetime Residential 15 Year Commercial

*The colour and design of each product seen in this brochure may vary from the actual product. Please choose carefully from samples supplied in store.

CARE & MAINTENANCE

Hybrid Stone Flooring is designed to stand up to the toughest household conditions. To keep it looking its best, follow these simple instructions for care and maintenance.

ROUTINE MAINTENANCE

Use a damp cloth to soak up and clean spills as soon as they happen. Never allow liquids to remain on your floor.

To clean tough spots such as oil, paint, marker, lipstick, ink or tar, use acetone/nail polish remover on a clean white cloth. When finished, wipe the area with a damp cloth to remove any remaining residue.

For spots such as candle wax or chewing gum, harden the spot with ice and then gently scrape with a nylon or plastic scraper - a credit card works well. Be careful not to scratch the flooring surface. When finished, wipe the area with a damp cloth to remove any remaining residue.

Regularly sweep, dust, or vacuum the floor to prevent accumulation of dirt and grit that can scratch or dull the floor surface. When vacuuming, use the hard floor setting. Sandy areas, such as beach homes, may require more frequent cleaning.

Your Hybrid Stone Flooring can be cleaned with a wet mop as needed. Use mild soap or detergent if necessary.

Do not use steel wool, abrasive or chlorinated cleaners or any other harsh chemicals.

Do not use any type of buffing or polishing machine.

FLOOR PROTECTION

To keep your floor looking its best, use entry mats to help collect dirt, sand, grit and other substances that might otherwise be tracked onto your floor.

Do not slide heavy objects across the floor.

To minimise the chance of indentations and scratches from heavy objects, use floor protectors and wide, load-bearing leg bases or rollers. A protective mat should be used under furniture or chairs with castors/wheels. Heavy objects exceeding 200kg should not be placed on this floating floor.